

Nonlinear Preconditioning in PETSc

Matthew Knepley ∈ PETSc Team

Computation Institute
University of Chicago

Department of Molecular Biology and Physiology
Rush University Medical Center

Algorithmic Adaptivity in Multilevel Linear and Nonlinear Solvers
PMAA 2014
Lugano, CH July 2, 2014



The PETSc Team



Bill Gropp



Barry Smith



Satish Balay



Jed Brown




Matt Knepley



Lisandro Dalcin



Hong Zhang



Mark Adams



Toby Isaac

Outline

1 Algorithmics

2 Experiments

Abstract System

Our prototypical nonlinear equation is:

$$\mathcal{F}(\vec{x}) = \vec{b} \quad (1)$$

and we define the residual as

$$\vec{r}(\vec{x}) = \mathcal{F}(\vec{x}) - \vec{b} \quad (2)$$

Abstract System

Our prototypical nonlinear equation is:

$$\mathcal{F}(\vec{x}) = \vec{b} \quad (1)$$

and we define the (linear) residual as

$$\vec{r}(\vec{x}) = A\vec{x} - \vec{b} \quad (3)$$

Linear Left Preconditioning

The modified equation becomes

$$P^{-1} (\vec{A}\vec{x} - \vec{b}) = 0 \quad (4)$$

Linear Left Preconditioning

The modified defect correction equation becomes

$$P^{-1} \left(A\vec{x}_i - \vec{b} \right) = \vec{x}_{i+1} - \vec{x}_i \quad (5)$$

Additive Combination

The linear iteration

$$\vec{x}_{i+1} = \vec{x}_i - (\alpha P^{-1} + \beta Q^{-1})(A\vec{x}_i - \vec{b}) \quad (6)$$

becomes the nonlinear iteration

Additive Combination

The linear iteration

$$\vec{x}_{i+1} = \vec{x}_i - (\alpha P^{-1} + \beta Q^{-1}) \vec{r}_i \quad (7)$$

becomes the nonlinear iteration

Additive Combination

The linear iteration

$$\vec{x}_{i+1} = \vec{x}_i - (\alpha P^{-1} + \beta Q^{-1}) \vec{r}_i \quad (7)$$

becomes the nonlinear iteration

$$\vec{x}_{i+1} = \vec{x}_i + \alpha(\mathcal{N}(\mathcal{F}, \vec{x}_i, \vec{b}) - \vec{x}_i) + \beta(\mathcal{M}(\mathcal{F}, \vec{x}_i, \vec{b}) - \vec{x}_i) \quad (8)$$

Nonlinear Left Preconditioning

From the additive combination, we have

$$P^{-1}\vec{r} \implies \vec{x}_i - \mathcal{N}(\mathcal{F}, \vec{x}_i, \vec{b}) \quad (9)$$

so we define the preconditioning operation as

$$\vec{r}_L \equiv \vec{x} - \mathcal{N}(\mathcal{F}, \vec{x}, \vec{b}) \quad (10)$$

Multiplicative Combination

The linear iteration

$$\vec{x}_{i+1} = \vec{x}_i - (P^{-1} + Q^{-1} - Q^{-1}AP^{-1})\vec{r}_i \quad (11)$$

becomes the nonlinear iteration

Multiplicative Combination

The linear iteration

$$\vec{x}_{i+1/2} = \vec{x}_i - P^{-1} \vec{r}_i \quad (12)$$

$$\vec{x}_i = \vec{x}_{i+1/2} - Q^{-1} \vec{r}_{i+1/2} \quad (13)$$

becomes the nonlinear iteration

Multiplicative Combination

The linear iteration

$$\vec{x}_{i+1/2} = \vec{x}_i - P^{-1} \vec{r}_i \quad (12)$$

$$\vec{x}_i = \vec{x}_{i+1/2} - Q^{-1} \vec{r}_{i+1/2} \quad (13)$$

becomes the nonlinear iteration

$$\vec{x}_{i+1} = \mathcal{M}(\mathcal{F}, \mathcal{N}(\mathcal{F}, \vec{x}_i, \vec{b}), \vec{b}) \quad (14)$$

Nonlinear Right Preconditioning

For the linear case, we have

$$AP^{-1}\vec{y} = \vec{b} \quad (15)$$

$$\vec{x} = P^{-1}\vec{y} \quad (16)$$

so we define the preconditioning operation as

$$\vec{y} = \mathcal{M}(\mathcal{F}(\mathcal{N}(\mathcal{F}, \cdot, \vec{b})), \vec{x}_i, \vec{b}) \quad (17)$$

$$\vec{x} = \mathcal{N}(\mathcal{F}, \vec{y}, \vec{b}) \quad (18)$$

Nonlinear Preconditioning

Type	Sym	Statement	Abbreviation
Additive	+	$\vec{x} + \alpha(\mathcal{M}(\mathcal{F}, \vec{x}, \vec{b}) - \vec{x}) + \beta(\mathcal{N}(\mathcal{F}, \vec{x}, \vec{b}) - \vec{x})$	$\mathcal{M} + \mathcal{N}$
Multiplicative	*	$\mathcal{M}(\mathcal{F}, \mathcal{N}(\mathcal{F}, \vec{x}, \vec{b}), \vec{b})$	$\mathcal{M} * \mathcal{N}$
Left Prec.	$-_L$	$\mathcal{M}(\vec{x} - \mathcal{N}(\mathcal{F}, \vec{x}, \vec{b}), \vec{x}, \vec{b})$	$\mathcal{M} -_L \mathcal{N}$
Right Prec.	$-_R$	$\mathcal{M}(\mathcal{F}(\mathcal{N}(\mathcal{F}, \vec{x}, \vec{b})), \vec{x}, \vec{b})$	$\mathcal{M} -_R \mathcal{N}$
Inner Lin. Inv.	\	$\vec{y} = \vec{J}(\vec{x})^{-1} \vec{r}(\vec{x}) = \mathbf{K}(\vec{J}(\vec{x}), \vec{y}_0, \vec{b})$	$\mathcal{N} \backslash \mathbf{K}$

Nonlinear Richardson

```
1: procedure NRICH( $\vec{F}$ ,  $\vec{x}_i$ ,  $\vec{b}$ )
2:    $\vec{d} = -\vec{r}(\vec{x}_i)$ 
3:    $\vec{x}_{i+1} = \vec{x}_i + \lambda \vec{d}$                                  $\triangleright \lambda$  determined by line search
4: end procedure
5: return  $\vec{x}_{i+1}$ 
```

Line Search

Equivalent to $\text{NRICH} -_L \mathcal{N}$:

$\text{NRICH} -_L \mathcal{N}$

Line Search

Equivalent to $\text{NRICH} -_L \mathcal{N}$:

$\text{NRICH} -_L \mathcal{N}$

$\text{NRICH}(\vec{x} - \mathcal{N}(\mathcal{F}, \vec{x}, \vec{b}), \vec{x}, \vec{b})$

Line Search

Equivalent to $\text{NRICH} -_L \mathcal{N}$:

$\text{NRICH} -_L \mathcal{N}$

$\text{NRICH}(\vec{x} - \mathcal{N}(\mathcal{F}, \vec{x}, \vec{b}), \vec{x}, \vec{b})$

$$\vec{x}_{i+1} = \vec{x}_i - \lambda \vec{r}_L$$

Line Search

Equivalent to $\text{NRICH} -_L \mathcal{N}$:

$\text{NRICH} -_L \mathcal{N}$

$\text{NRICH}(\vec{x} - \mathcal{N}(\mathcal{F}, \vec{x}, \vec{b}), \vec{x}, \vec{b})$

$$\vec{x}_{i+1} = \vec{x}_i - \lambda \vec{r}_L$$

$$\vec{x}_{i+1} = \vec{x}_i + \lambda(\mathcal{N}(\mathcal{F}, \vec{x}_i, \vec{b}) - \vec{x}_i)$$

Newton-Krylov

```
1: procedure  $\mathcal{N}\backslash K(\vec{F}, \vec{x}_i, \vec{b})$ 
2:    $\vec{d} = \vec{J}(\vec{x}_i)^{-1} \vec{r}(\vec{x}_i, \vec{b})$             $\triangleright$  solve by Krylov method
3:    $\vec{x}_{i+1} = \vec{x}_i + \lambda \vec{d}$             $\triangleright \lambda$  determined by line search
4: end procedure
5: return  $\vec{x}_{i+1}$ 
```

Left Preconditioned Newton-Krylov

```
1: procedure  $\mathcal{N}\backslash K(\vec{x} - \vec{M}(\mathcal{F}, \vec{x}, \vec{b}), \vec{x}_i, 0)$ 
2:    $\vec{d} = \frac{\partial(\vec{x}_i - \mathcal{M}(\mathcal{F}, \vec{x}_i, \vec{b}))}{\partial \vec{x}_i}^{-1} (\vec{x}_i - \mathcal{M}(\mathcal{F}, \vec{x}_i, \vec{b}))$ 
3:    $\vec{x}_{i+1} = \vec{x}_i + \lambda \vec{d}$ 
4: end procedure
5: return  $\vec{x}_{i+1}$ 
```

Jacobian Computation

$$\frac{\partial(\vec{x} - \mathcal{M}(\mathcal{F}, \vec{x}_i, \vec{b}))}{\vec{x}_i} = I - \frac{\partial \mathcal{M}(\mathcal{F}, \vec{x}_i, \vec{b})}{\partial \vec{x}_i},$$

Direct differencing would require

- one inner nonlinear iteration per **Krylov** iteration.

Jacobian Computation

$$\frac{\partial(\vec{x} - \mathcal{M}(\mathcal{F}, \vec{x}_i, \vec{b}))}{\vec{x}_i} = I - \frac{\partial \mathcal{M}(\mathcal{F}, \vec{x}_i, \vec{b})}{\partial \vec{x}_i},$$

Direct differencing would require

- one inner nonlinear iteration per **Krylov** iteration.

Jacobian Computation

Impractical!

$$\frac{\partial(\vec{x} - \mathcal{M}(\mathcal{F}, \vec{x}_i, \vec{b}))}{\vec{x}_i} = I - \frac{\partial \mathcal{M}(\mathcal{F}, \vec{x}_i, \vec{b})}{\partial \vec{x}_i},$$

Direct differencing would require

- one inner nonlinear iteration per **Krylov** iteration.

Jacobian Computation

Approximation for NASM

$$\begin{aligned}\frac{\partial(\vec{x} - \mathcal{M}(\mathcal{F}, \vec{x}, \vec{b}))}{\partial \vec{x}} &= \frac{\partial(\vec{x} - (\vec{x} - \sum_b J_b(\vec{x}_b)^{-1} \mathcal{F}_b(\vec{x}_b)))}{\partial \vec{x}} \\ &\approx \sum_b J_b(\vec{x}_{b*})^{-1} J(\vec{x})\end{aligned}$$

This would require

- one inner nonlinear iteration
- small number of block solves

per **outer nonlinear** iteration.

X.-C. Cai and D. E. Keyes, *SIAM J. Sci. Comput.*, 24 (2002), pp. 183–200

Right Preconditioned Newton-Krylov

```
1: procedure NK( $\vec{F}(\vec{M}(\vec{F}, \cdot, \vec{b}))$ ,  $\vec{y}_i, \vec{b}$ )
2:    $\vec{x}_i = \vec{M}(\vec{F}, \vec{y}_i, \vec{b})$ 
3:    $\vec{d} = \vec{J}(\vec{x})^{-1} \vec{r}(\vec{x}_i)$ 
4:    $\vec{x}_{i+1} = \vec{x}_i + \lambda \vec{d}$                                  $\triangleright \lambda$  determined by line search
5: end procedure
6: return  $\vec{x}_{i+1}$ 
```

Jacobian Computation

First-Order Approximation

Only the action of the original Jacobian is needed at first order:

$$\vec{y}_{i+1} = \vec{y}_i - \lambda \frac{\partial \mathcal{M}(\mathcal{F}, \vec{y}_i)}{\partial \vec{y}_i}^{-1} J(\mathcal{M}(\mathcal{F}, \vec{y}_i))^{-1} \mathcal{F}(\mathcal{M}(\mathcal{F}, \vec{y}_i))$$

$$\begin{aligned}\mathcal{M}(\mathcal{F}, \vec{y}_{i+1}) &= \mathcal{M}(\mathcal{F}, \vec{y}_i) - \lambda \frac{\partial \mathcal{M}(\mathcal{F}, \vec{y}_i)}{\partial \vec{y}_i}^{-1} J(\mathcal{M}(\mathcal{F}, \vec{y}_i))^{-1} \mathcal{F}(\mathcal{M}(\mathcal{F}, \vec{y}_i)) \\ &\approx \mathcal{M}(\mathcal{F}, \vec{y}_i)\end{aligned}$$

$$\begin{aligned}&- \lambda \frac{\partial \mathcal{M}(\mathcal{F}, \vec{y}_i)}{\partial \vec{y}_i} \frac{\partial \mathcal{M}(\mathcal{F}, \vec{y}_i)}{\partial \vec{y}_i}^{-1} J(\mathcal{M}(\mathcal{F}, \vec{y}_i))^{-1} \mathcal{F}(\mathcal{M}(\mathcal{F}, \vec{y}_i)) \\ &= \mathcal{M}(\mathcal{F}, \vec{y}_i) - \lambda J(\mathcal{M}(\mathcal{F}, \vec{y}_i))^{-1} \mathcal{F}(\mathcal{M}(\mathcal{F}, \vec{y}_i))\end{aligned}$$

$$\vec{x}_{i+1} = \vec{x}_i - \lambda J(\vec{x}_i)^{-1} \mathcal{F}(\vec{x}_i)$$

$\mathcal{N} \setminus K -_R \vec{M}$ is equivalent to $\mathcal{N} \setminus K * \vec{M}$ at first order

Jacobian Computation

First-Order Approximation

Only the action of the original Jacobian is needed at first order:

$$\vec{y}_{i+1} = \vec{y}_i - \lambda \frac{\partial \mathcal{M}(\mathcal{F}, \vec{y}_i)}{\partial \vec{y}_i}^{-1} J(\mathcal{M}(\mathcal{F}, \vec{y}_i))^{-1} \mathcal{F}(\mathcal{M}(\mathcal{F}, \vec{y}_i))$$

$$\begin{aligned} \mathcal{M}(\mathcal{F}, \vec{y}_{i+1}) &= \mathcal{M}(\mathcal{F}, \vec{y}_i) - \lambda \frac{\partial \mathcal{M}(\mathcal{F}, \vec{y}_i)}{\partial \vec{y}_i}^{-1} J(\mathcal{M}(\mathcal{F}, \vec{y}_i))^{-1} \mathcal{F}(\mathcal{M}(\mathcal{F}, \vec{y}_i)) \\ &\approx \mathcal{M}(\mathcal{F}, \vec{y}_i) \end{aligned}$$

$$\begin{aligned} &- \lambda \frac{\partial \mathcal{M}(\mathcal{F}, \vec{y}_i)}{\partial \vec{y}_i} \frac{\partial \mathcal{M}(\mathcal{F}, \vec{y}_i)}{\partial \vec{y}_i}^{-1} J(\mathcal{M}(\mathcal{F}, \vec{y}_i))^{-1} \mathcal{F}(\mathcal{M}(\mathcal{F}, \vec{y}_i)) \\ &= \mathcal{M}(\mathcal{F}, \vec{y}_i) - \lambda J(\mathcal{M}(\mathcal{F}, \vec{y}_i))^{-1} \mathcal{F}(\mathcal{M}(\mathcal{F}, \vec{y}_i)) \end{aligned}$$

$$\vec{x}_{i+1} = \vec{x}_i - \lambda J(\vec{x}_i)^{-1} \mathcal{F}(\vec{x}_i)$$

$\mathcal{N} \setminus K -_R \vec{M}$ is equivalent to $\mathcal{N} \setminus K * \vec{M}$ at first order

Jacobian Computation

Direct Approximation

$$\begin{aligned}\mathcal{F}(\mathcal{M}(\mathcal{F}, \vec{y}_i, \vec{b})) &= J(\mathcal{M}(\mathcal{F}, \vec{y}_i, \vec{b})) \frac{\partial \mathcal{M}(\mathcal{F}, \vec{y}_i, \vec{b})}{\partial \vec{y}_i} (\vec{y}_{i+1} - \vec{y}_i) \\ &\approx J(\mathcal{M}(\mathcal{F}, \vec{y}_i, \vec{b})) (\mathcal{M}(\mathcal{F}, \vec{y}_i + \vec{d}, \vec{b}) - \vec{x}_i)\end{aligned}$$

- Solve for \vec{d}
- Requires inner nonlinear solve for each Krylov iterate
- Needs FGMRES

P. Birken and A. Jameson, *J. Num. Meth. in Fluids*, 62 (2010), pp. 565–573

Outline

1 Algorithms

2 Experiments

- Composition
- Multilevel

Outline

2

Experiments

- Composition
- Multilevel

SNES ex16

3D Large Deformation Elasticity

$$\int_{\Omega} \mathbf{F} \cdot \mathbf{S} : \nabla \mathbf{v} d\Omega + \int_{\Omega} \text{loading } \mathbf{e}_y \cdot \mathbf{v} d\Omega = 0 \quad (19)$$

\mathbf{F} Deformation gradient

\mathbf{S} Second Piola-Kirchhoff tensor

Saint Venant-Kirchhoff model of hyperelasticity


Ω -arc *angle* subsection of a cylindrical shell

-height *thickness*

-rad *inner radius*


-width *width*

Large Deformation Elasticity




Unstressed and stressed configurations for the elasticity test problem.

Large Deformation Elasticity



Coloration indicates vertical displacement in meters.

Large Deformation Elasticity



P. Wriggers, Nonlinear Finite Element Methods, Springer, 2008.

Large Deformation Elasticity


Running

SNES example 16:

```
cd src/snes/examples/tutorials  
make ex16  
. /ex16 -da_grid_x 401 -da_grid_y 9 -da_grid_z 9  
-height 3 -width 3  
-rad 100 -young 100 -poisson 0.2  
-loading -1 -ploading 0
```

Plain SNES Convergence

($\mathcal{N} \setminus K - MG$) and NCG




Plain SNES Convergence

Solver	T	N. It	L. It	Func	Jac	PC	NPC
NCG	53.05	4495	0	8991	—	—	—
($\mathcal{N}\backslash K - MG$)	23.43	27	1556	91	27	1618	—

Composed SNES Convergence

NCG(10) + ($\mathcal{N}\backslash K - MG$) and NCG(10) * ($\mathcal{N}\backslash K - MG$)




Composed SNES Convergence

Solver	T	N. It	L. It	Func	Jac	PC	NPC
NCG	53.05	4495	0	8991	—	—	—
$(\mathcal{N}\backslash K - MG)$	23.43	27	1556	91	27	1618	—
NCG(10) + $(\mathcal{N}\backslash K - MG)$	14.92	9	459	218	9	479	—
NCG(10) $\ast(\mathcal{N}\backslash K - MG)$	16.34	11	458	251	11	477	—

Preconditioned SNES Convergence

NGMRES- R ($\mathcal{N} \setminus K - MG$) and NCG- L ($\mathcal{N} \setminus K - MG$)



Preconditioned SNES Convergence

Solver	T	N. It	L. It	Func	Jac	PC	NPC
NCG	53.05	4495	0	8991	—	—	—
$(\mathcal{N}\backslash K - MG)$	23.43	27	1556	91	27	1618	—
NCG(10)	14.92	9	459	218	9	479	—
$+(\mathcal{N}\backslash K - MG)$							
NCG(10)	16.34	11	458	251	11	477	—
$\ast(\mathcal{N}\backslash K - MG)$							
NGMRES	9.65	13	523	53	13	548	13
$-R(\mathcal{N}\backslash K - MG)$							
NCG	9.84	13	529	53	13	554	13
$-L(\mathcal{N}\backslash K - MG)$							

Outline

2

Experiments

- Composition
- Multilevel

SNES ex19

Driven Cavity Flow

$$-\Delta \vec{u} + \nabla \times \Omega = 0$$

$$-\Delta \Omega + \nabla \cdot (\vec{u} \Omega) - GR \nabla_x T = 0$$

$$-\Delta T + PR \nabla \cdot (\vec{u} T) = 0$$

SNES ex19

Driven Cavity Flow



$$-\Delta \vec{u} + \nabla \times \Omega = 0$$

$$\nabla \cdot (\vec{u}\Omega) - GR\nabla_x T = 0$$

$$-\Delta T + PR\nabla \cdot (\vec{u}T) = 0$$

Driven Cavity Problem

SNES ex19.c

```
./ex19 -lidvelocity 100 -grashof 1e2  
-da_grid_x 16 -da_grid_y 16 -da_refine 2  
-snes_monitor_short -snes_converged_reason -snes_view
```

Driven Cavity Problem

SNES ex19.c

```
./ex19 -lidvelocity 100 -grashof 1e2  
-da_grid_x 16 -da_grid_y 16 -da_refine 2  
-snes_monitor_short -snes_converged_reason -snes_view

lid velocity = 100, prandtl # = 1, grashof # = 100
0 SNES Function norm 768.116
1 SNES Function norm 658.288
2 SNES Function norm 529.404
3 SNES Function norm 377.51
4 SNES Function norm 304.723
5 SNES Function norm 2.59998
6 SNES Function norm 0.00942733
7 SNES Function norm 5.20667e-08
Nonlinear solve converged due to CONVERGED_FNORM_RELATIVE iterations 7
```

Driven Cavity Problem

SNES ex19.c

```
./ex19 -lidvelocity 100 -grashof 1e4  
-da_grid_x 16 -da_grid_y 16 -da_refine 2  
-snes_monitor_short -snes_converged_reason -snes_view
```

Driven Cavity Problem

SNES ex19.c

```
./ex19 -lidvelocity 100 -grashof 1e4  
-da_grid_x 16 -da_grid_y 16 -da_refine 2  
-snes_monitor_short -snes_converged_reason -snes_view

lid velocity = 100, prandtl # = 1, grashof # = 10000
0 SNES Function norm 785.404
1 SNES Function norm 663.055
2 SNES Function norm 519.583
3 SNES Function norm 360.87
4 SNES Function norm 245.893
5 SNES Function norm 1.8117
6 SNES Function norm 0.00468828
7 SNES Function norm 4.417e-08
Nonlinear solve converged due to CONVERGED_FNORM_RELATIVE iterations 7
```

Driven Cavity Problem

SNES ex19.c

```
./ex19 -lidvelocity 100 -grashof 1e5  
-da_grid_x 16 -da_grid_y 16 -da_refine 2  
-snes_monitor_short -snes_converged_reason -snes_view
```

Driven Cavity Problem

SNES ex19.c

```
./ex19 -lidvelocity 100 -grashof 1e5  
-da_grid_x 16 -da_grid_y 16 -da_refine 2  
-snes_monitor_short -snes_converged_reason -snes_view  
  
lid velocity = 100, prandtl # = 1, grashof # = 100000  
0 SNES Function norm 1809.96  
Nonlinear solve did not converge due to DIVERGED_LINEAR_SOLVE iterations 0
```

Driven Cavity Problem

SNES ex19.c

```
./ex19 -lidvelocity 100 -grashof 1e5  
-da_grid_x 16 -da_grid_y 16 -da_refine 2 -pc_type lu  
-snes_monitor_short -snes_converged_reason -snes_view
```

```
lid velocity = 100, prandtl # = 1, grashof # = 100000  
0 SNES Function norm 1809.96  
1 SNES Function norm 1678.37  
2 SNES Function norm 1643.76  
3 SNES Function norm 1559.34  
4 SNES Function norm 1557.6  
5 SNES Function norm 1510.71  
6 SNES Function norm 1500.47  
7 SNES Function norm 1498.93  
8 SNES Function norm 1498.44  
9 SNES Function norm 1498.27  
10 SNES Function norm 1498.18  
11 SNES Function norm 1498.12  
12 SNES Function norm 1498.11  
13 SNES Function norm 1498.11  
14 SNES Function norm 1498.11
```

...

Nonlinear Preconditioning

```
./ex19 -lidvelocity 100 -grashof 5e4 -da_refine 4 -snes_monitor_short  
-snes_type newtonls -snes_converged_reason  
-pc_type lu
```

```
lid velocity = 100, prandtl # = 1, grashof # = 50000
0 SNES Function norm 1228.95
1 SNES Function norm 1132.29
2 SNES Function norm 1026.17
3 SNES Function norm 925.717
4 SNES Function norm 924.778
5 SNES Function norm 836.867
...
21 SNES Function norm 585.143
22 SNES Function norm 585.142
23 SNES Function norm 585.142
24 SNES Function norm 585.142
...
```

Nonlinear Preconditioning

```
./ex19 -lidvelocity 100 -grashof 5e4 -da_refine 4 -snes_monitor_short  
-snes_type fas -snes_converged_reason  
-fas_levels_snes_type gs -fas_levels_snes_max_it 6
```

```
lid velocity = 100, prandtl # = 1, grashof # = 50000  
0 SNES Function norm 1228.95  
1 SNES Function norm 574.793  
2 SNES Function norm 513.02  
3 SNES Function norm 216.721  
4 SNES Function norm 85.949
```

```
Nonlinear solve did not converge due to DIVERGED_INNER iterations 4
```

Nonlinear Preconditioning

```
./ex19 -lidvelocity 100 -grashof 5e4 -da_refine 4 -snes_monitor_short  
-snes_type fas -snes_converged_reason  
-fas_levels_snes_type gs -fas_levels_snes_max_it 6  
-fas_coarse_snes_converged_reason
```

```
lid velocity = 100, prandtl # = 1, grashof # = 50000  
0 SNES Function norm 1228.95  
    Nonlinear solve converged due to CONVERGED_FNORM_RELATIVE its 12  
1 SNES Function norm 574.793  
    Nonlinear solve did not converge due to DIVERGED_MAX_IT its 50  
2 SNES Function norm 513.02  
    Nonlinear solve did not converge due to DIVERGED_MAX_IT its 50  
3 SNES Function norm 216.721  
    Nonlinear solve converged due to CONVERGED_FNORM_RELATIVE its 22  
4 SNES Function norm 85.949  
    Nonlinear solve did not converge due to DIVERGED_LINE_SEARCH its 42  
Nonlinear solve did not converge due to DIVERGED_INNER iterations 4
```

Nonlinear Preconditioning

```
./ex19 -lidvelocity 100 -grashof 5e4 -da_refine 4 -snes_monitor_short  
-snes_type fas -snes_converged_reason  
-fas_levels_snes_type gs -fas_levels_snes_max_it 6  
-fas_coarse_snes_linesearch_type basic  
-fas_coarse_snes_converged_reason
```

```
lid velocity = 100, prandtl # = 1, grashof # = 50000  
0 SNES Function norm 1228.95  
    Nonlinear solve converged due to CONVERGED_FNORM_RELATIVE its 6  
:  
47 SNES Function norm 78.8401  
    Nonlinear solve converged due to CONVERGED_FNORM_RELATIVE its 5  
48 SNES Function norm 73.1185  
    Nonlinear solve converged due to CONVERGED_FNORM_RELATIVE its 6  
49 SNES Function norm 78.834  
    Nonlinear solve converged due to CONVERGED_FNORM_RELATIVE its 5  
50 SNES Function norm 73.1176  
    Nonlinear solve converged due to CONVERGED_FNORM_RELATIVE its 6  
:
```

Nonlinear Preconditioning

```
./ex19 -lidvelocity 100 -grashof 5e4 -da_refine 4 -snes_monitor_short  
-snes_type nrichardson -npc_snes_max_it 1 -snes_converged_reason  
-npc_snes_type fas -npc_fas_coarse_snes_converged_reason  
-npc_fas_levels_snes_type gs -npc_fas_levels_snes_max_it 6  
-npc_fas_coarse_snes_linesearch_type basic
```

```
lid velocity = 100, prandtl # = 1, grashof # = 50000  
0 SNES Function norm 1228.95  
    Nonlinear solve converged due to CONVERGED_FNORM_RELATIVE its 6  
1 SNES Function norm 552.271  
    Nonlinear solve converged due to CONVERGED_FNORM_RELATIVE its 27  
2 SNES Function norm 173.45  
    Nonlinear solve converged due to CONVERGED_FNORM_RELATIVE its 45  
:  
43 SNES Function norm 3.45407e-05  
    Nonlinear solve converged due to CONVERGED_SNORM_RELATIVE its 2  
44 SNES Function norm 1.6141e-05  
    Nonlinear solve converged due to CONVERGED_SNORM_RELATIVE its 2  
45 SNES Function norm 9.13386e-06  
Nonlinear solve converged due to CONVERGED_FNORM_RELATIVE iterations 45
```

Nonlinear Preconditioning

```
./ex19 -lidvelocity 100 -grashof 5e4 -da_refine 4 -snes_monitor_short  
-snes_type ngmres -npc_snes_max_it 1 -snes_converged_reason  
-npc_snes_type fas -npc_fas_coarse_snes_converged_reason  
-npc_fas_levels_snes_type gs -npc_fas_levels_snes_max_it 6  
-npc_fas_coarse_snes_linesearch_type basic
```

```
lid velocity = 100, prandtl # = 1, grashof # = 50000  
0 SNES Function norm 1228.95  
    Nonlinear solve converged due to CONVERGED_FNORM_RELATIVE its 6  
1 SNES Function norm 538.605  
    Nonlinear solve converged due to CONVERGED_FNORM_RELATIVE its 13  
2 SNES Function norm 178.005  
    Nonlinear solve converged due to CONVERGED_FNORM_RELATIVE its 24  
:  
27 SNES Function norm 0.000102487  
    Nonlinear solve converged due to CONVERGED_FNORM_RELATIVE its 2  
28 SNES Function norm 4.2744e-05  
    Nonlinear solve converged due to CONVERGED_SNORM_RELATIVE its 2  
29 SNES Function norm 1.01621e-05  
Nonlinear solve converged due to CONVERGED_FNORM_RELATIVE iterations 29
```



Nonlinear Preconditioning

```
./ex19 -lidvelocity 100 -grashof 5e4 -da_refine 4 -snes_monitor_short  
-snes_type ngmres -npc_snes_max_it 1 -snes_converged_reason  
-npc_snes_type fas -npc_fas_coarse_snes_converged_reason  
-npc_fas_levels_snes_type newtonls -npc_fas_levels_snes_max_it 6  
-npc_fas_levels_snes_linesearch_type basic  
-npc_fas_levels_snes_max_linear_solve_fail 30  
-npc_fas_levels_ksp_max_it 20 -npc_fas_levels_snes_converged_reason  
-npc_fas_coarse_snes_linesearch_type basic  
lid velocity = 100, prandtl # = 1, grashof # = 50000  
0 SNES Function norm 1228.95  
    Nonlinear solve did not converge due to DIVERGED_MAX_IT its 6  
:  
    Nonlinear solve converged due to CONVERGED_SNORM_RELATIVE its 1  
:  
1 SNES Function norm 0.1935  
2 SNES Function norm 0.0179938  
3 SNES Function norm 0.00223698  
4 SNES Function norm 0.000190461  
5 SNES Function norm 1.6946e-06  
Nonlinear solve converged due to CONVERGED_FNORM_RELATIVE iterations 5
```

Nonlinear Preconditioning

```
./ex19 -lidvelocity 100 -grashof 5e4 -da_refine 4 -snes_monitor_short  
-snes_type composite -snes_composite_type additiveoptimal  
-snes_composite_sneses fas,newtonls -snes_converged_reason  
-sub_0_fas_levels_snes_type gs -sub_0_fas_levels_snes_max_it 6  
-sub_0_fas_coarse_snes_linesearch_type basic  
-sub_1_snes_linesearch_type basic -sub_1_pc_type mg
```

```
lid velocity = 100, prandtl # = 1, grashof # = 50000  
0 SNES Function norm 1228.95  
1 SNES Function norm 541.462  
2 SNES Function norm 162.92  
3 SNES Function norm 48.8138  
4 SNES Function norm 11.1822  
5 SNES Function norm 0.181469  
6 SNES Function norm 0.00170909  
7 SNES Function norm 3.24991e-08
```

```
Nonlinear solve converged due to CONVERGED_FNORM_RELATIVE iterations 7
```

Nonlinear Preconditioning

```
./ex19 -lidvelocity 100 -grashof 5e4 -da_refine 4 -snes_monitor_short  
-snes_type composite -snes_composite_type multiplicative  
-snes_composite_sneses fas,newtonls -snes_converged_reason  
-sub_0_fas_levels_snes_type gs -sub_0_fas_levels_snes_max_it 6  
-sub_0_fas_coarse_snes_linesearch_type basic  
-sub_1_snes_linesearch_type basic -sub_1_pc_type mg
```

```
lid velocity = 100, prandtl # = 1, grashof # = 50000
```

```
0 SNES Function norm 1228.95  
1 SNES Function norm 544.404  
2 SNES Function norm 18.2513  
3 SNES Function norm 0.488689  
4 SNES Function norm 0.000108712  
5 SNES Function norm 5.68497e-08
```

```
Nonlinear solve converged due to CONVERGED_FNORM_RELATIVE iterations 5
```

Nonlinear Preconditioning

Solver	T	N. It	L. It	Func	Jac	PC	NPC
$(\mathcal{N}\backslash K - MG)$	9.83	17	352	34	85	370	–
NGMRES – R	7.48	10	220	21	50	231	10
$(\mathcal{N}\backslash K - MG)$							
FAS	6.23	162	0	2382	377	754	–
FAS + $(\mathcal{N}\backslash K - MG)$	8.07	10	197	232	90	288	–
FAS * $(\mathcal{N}\backslash K - MG)$	4.01	5	80	103	45	125	–
NRICH – L FAS	3.20	50	0	1180	192	384	50
NGMRES – R FAS	1.91	24	0	447	83	166	24

Nonlinear Preconditioning

See discussion in:

Composing scalable nonlinear solvers,


Peter Brune, Matthew Knepley, Barry Smith, and Xuemin Tu,

ANL/MCS-P2010-0112, Argonne National Laboratory, 2012.

<http://www.mcs.anl.gov/uploads/cels/papers/P2010-0112.pdf>

Magma Dynamics


- Couples scales
 - Subduction
 - Magma Migration
- Physics
 - Incompressible fluid
 - Porous solid
 - Variable porosity
- Deforming matrix
 - Compaction pressure
- Code generation
 - FEniCS
- Multiphysics Preconditioning
 - PETSc FieldSplit



^aKatz, Speigelman

Magma Dynamics

- Couples scales
 - Subduction
 - Magma Migration
- Physics
 - Incompressible fluid
 - Porous solid
 - Variable porosity
- Deforming matrix
 - Compaction pressure
- Code generation
 - FEniCS
- Multiphysics Preconditioning
 - PETSc FieldSplit



^aKatz, Speigelman

Dimensional Formulation

$$\nabla p - \nabla \zeta_\phi (\nabla \cdot \vec{v}^S) - \nabla \cdot (2\eta_\phi \dot{\epsilon}^S) = 0$$

$$\nabla \cdot \left(-\frac{K_\phi}{\mu} \nabla p + \vec{v}^S \right) = 0$$

$$\frac{\partial \phi}{\partial t} - \nabla \cdot (1 - \phi) \vec{v}^S = 0$$

Closure Conditions

$$K_\phi = K_0 \left(\frac{\phi}{\phi_0} \right)^n$$

$$\eta_\phi = \eta_0 \exp(-\lambda(\phi - \phi_0))$$

$$\zeta_\phi = \zeta_0 \left(\frac{\phi}{\phi_0} \right)^{-m}$$

Nondimensional Formulation

$$\nabla p - \nabla \left(\left(\frac{\phi}{\phi_0} \right)^{-m} \nabla \cdot \vec{v}^S \right) - \nabla \cdot \left(2e^{-\lambda(\phi-\phi_0)} \dot{\epsilon}^S \right) = 0$$

$$\nabla \cdot \left(-\frac{R^2}{r_\zeta + 4/3} \left(\frac{\phi}{\phi_0} \right)^n \nabla p + \vec{v}^S \right) = 0$$

$$\frac{\partial \phi}{\partial t} - \nabla \cdot (1 - \phi) \vec{v}^S = 0$$

Initial and Boundary conditions

Initially

$$\phi = \phi_0 + A \cos(\vec{k} \cdot \vec{x})$$

where

$$A \ll \phi_0$$

and on the top and bottom boundary

$$K_\phi \nabla p \cdot \hat{n} = 0$$

$$\vec{v}^s = \pm \frac{\dot{\gamma}}{2} \hat{x}$$

Newton options

```
-snes_monitor -snes_converged_reason
-snes_type newtonls -snes_linesearch_type bt
-snes_fd_color -snes_fd_color_use_mat -mat_coloring_type greedy
-ksp_rtol 1.0e-10 -ksp_monitor -ksp_gmres_restart 200
-pc_type fieldsplit
-pc_fieldsplit_0_fields 0,2 -pc_fieldsplit_1_fields 1
-pc_fieldsplit_type schur -pc_fieldsplit_schur_precondition selfp
-pc_fieldsplit_schur_factorization_type full
-fieldsplit_0_pc_type lu
-fieldsplit_pressure_ksp_rtol 1.0e-9 -fieldsplit_pressure_pc_type gamg
-fieldsplit_pressure_ksp_monitor
-fieldsplit_pressure_ksp_gmres_restart 100
-fieldsplit_pressure_ksp_max_it 200
```

Early Newton convergence

```
0 TS dt 0.01 time 0
0 SNES Function norm 5.292194079127e-03
  Linear pressure_ solve converged due to CONVERGED_RTOL its 10
  0 KSP Residual norm 4.618093146920e+00
  Linear pressure_ solve converged due to CONVERGED_RTOL its 10
  1 KSP Residual norm 3.018153330707e-03
  Linear pressure_ solve converged due to CONVERGED_RTOL its 11
  2 KSP Residual norm 4.274869628519e-13
Linear solve converged due to CONVERGED_RTOL its 2
1 SNES Function norm 2.766906985362e-06
  Linear pressure_ solve converged due to CONVERGED_RTOL its 8
  0 KSP Residual norm 2.555890235972e-02
  Linear pressure_ solve converged due to CONVERGED_RTOL its 8
  1 KSP Residual norm 1.638293944976e-07
  Linear pressure_ solve converged due to CONVERGED_RTOL its 8
  2 KSP Residual norm 1.771928779400e-14
Linear solve converged due to CONVERGED_RTOL its 2
2 SNES Function norm 1.188754322734e-11
Nonlinear solve converged due to CONVERGED_FNORM_RELATIVE its 2
1 TS dt 0.01 time 0.01
```

Later Newton convergence

```
0 TS dt 0.01 time 0.63
0 SNES Function norm 9.366565251786e-03
    Linear pressure_ solve converged due to CONVERGED_RTOL its 16
    Linear pressure_ solve converged due to CONVERGED_RTOL its 16
    Linear pressure_ solve converged due to CONVERGED_RTOL its 16
Linear solve converged due to CONVERGED_RTOL its 2
1 SNES Function norm 4.492625910272e-03
Linear solve converged due to CONVERGED_RTOL its 2
2 SNES Function norm 3.666181450068e-03
Linear solve converged due to CONVERGED_RTOL its 2
3 SNES Function norm 2.523116582272e-03
Linear solve converged due to CONVERGED_RTOL its 2
4 SNES Function norm 3.022638159491e-04
Linear solve converged due to CONVERGED_RTOL its 2
5 SNES Function norm 9.761317324448e-06
Linear solve converged due to CONVERGED_RTOL its 2
6 SNES Function norm 1.147944474432e-08
Linear solve converged due to CONVERGED_RTOL its 2
7 SNES Function norm 8.729160299009e-14
Nonlinear solve converged due to CONVERGED_FNORM_RELATIVE its 7
1 TS dt 0.01 time 0.64
```

Newton failure

```
0 TS dt 0.01 time 0.64
Time 0.64 L_2 Error: 0.494811 [0.0413666, 0.491642, 0.0376071]
 0 SNES Function norm 9.682733054059e-03
  Linear solve converged due to CONVERGED_RTOL iterations 2
 1 SNES Function norm 6.841434267123e-03
  Linear solve converged due to CONVERGED_RTOL iterations 3
 2 SNES Function norm 4.412420553822e-03
  Linear solve converged due to CONVERGED_RTOL iterations 5
 3 SNES Function norm 3.309326919835e-03
  Linear solve converged due to CONVERGED_RTOL iterations 6
 4 SNES Function norm 3.022494350289e-03
  Linear solve converged due to CONVERGED_RTOL iterations 7
 5 SNES Function norm 2.941050948582e-03
  Linear solve converged due to CONVERGED_RTOL iterations 7
  :
 9 SNES Function norm 2.631941422878e-03
  Linear solve converged due to CONVERGED_RTOL iterations 7
10 SNES Function norm 2.631897334054e-03
  Linear solve converged due to CONVERGED_RTOL iterations 10
11 SNES Function norm 2.631451174722e-03
  Linear solve converged due to CONVERGED_RTOL iterations 15
  :
```

FAS options

Top level

```
-snes_monitor -snes_converged_reason
-snes_type fas -snes_fas_type full -snes_fas_levels 4
-fas_levels_3_snes_monitor -fas_levels_3_snes_converged_reason
-fas_levels_3_snes_atol 1.0e-9 -fas_levels_3_snes_max_it 2
-fas_levels_3_snes_type newtonls -fas_levels_3_snes_linesearch_type bt
-fas_levels_3_snes_fd_color -fas_levels_3_snes_fd_color_use_mat
-fas_levels_3_ksp_rtol 1.0e-10 -mat_coloring_type greedy
-fas_levels_3_ksp_gmres_restart 50 -fas_levels_3_ksp_max_it 200
-fas_levels_3_pc_type fieldsplit
-fas_levels_3_pc_fieldsplit_0_fields 0,2
-fas_levels_3_pc_fieldsplit_1_fields 1
-fas_levels_3_pc_fieldsplit_type schur
-fas_levels_3_pc_fieldsplit_schur_precondition selfp
-fas_levels_3_pc_fieldsplit_schur_factorization_type full
-fas_levels_3_fieldsplit_0_pc_type lu
-fas_levels_3_fieldsplit_pressure_ksp_rtol 1.0e-9
-fas_levels_3_fieldsplit_pressure_pc_type gamg
-fas_levels_3_fieldsplit_pressure_ksp_gmres_restart 100
-fas_levels_3_fieldsplit_pressure_ksp_max_it 200
```

FAS options

2nd level

```
-fas_levels_2_snes_monitor -fas_levels_2_snes_converged_reason
-fas_levels_2_snes_atol 1.0e-9 -fas_levels_2_snes_max_it 2
-fas_levels_2_snes_type newtonls -fas_levels_2_snes_linesearch_type bt
-fas_levels_2_snes_fd_color -fas_levels_2_snes_fd_color_use_mat
-fas_levels_2_ksp_rtol 1.0e-10 -fas_levels_2_ksp_gmres_restart 50
-fas_levels_2_pc_type fieldsplit
-fas_levels_2_pc_fieldsplit_0_fields 0,2
-fas_levels_2_pc_fieldsplit_1_fields 1
-fas_levels_2_pc_fieldsplit_type schur
-fas_levels_2_pc_fieldsplit_schur_precondition selfp
-fas_levels_2_pc_fieldsplit_schur_factorization_type full
-fas_levels_2_fieldsplit_0_pc_type lu
-fas_levels_2_fieldsplit_pressure_ksp_rtol 1.0e-9
-fas_levels_2_fieldsplit_pressure_pc_type gamg
-fas_levels_2_fieldsplit_pressure_ksp_gmres_restart 100
-fas_levels_2_fieldsplit_pressure_ksp_max_it 200
```

FAS options

1st level

```
-fas_levels_1_snes_monitor -fas_levels_1_snes_converged_reason
-fas_levels_1_snes_atol 1.0e-9
-fas_levels_1_snes_type newtonls -fas_levels_1_snes_linesearch_type bt
-fas_levels_1_snes_fd_color -fas_levels_1_snes_fd_color_use_mat
-fas_levels_1_ksp_rtol 1.0e-10 -fas_levels_1_ksp_gmres_restart 50
-fas_levels_1_pc_type fieldsplit
-fas_levels_1_pc_fieldsplit_0_fields 0,2
-fas_levels_1_pc_fieldsplit_1_fields 1
-fas_levels_1_pc_fieldsplit_type schur
-fas_levels_1_pc_fieldsplit_schur_precondition selfp
-fas_levels_1_pc_fieldsplit_schur_factorization_type full
-fas_levels_1_fieldsplit_0_pc_type lu
-fas_levels_1_fieldsplit_pressure_ksp_rtol 1.0e-9
-fas_levels_1_fieldsplit_pressure_pc_type gamg
```

FAS options

Coarse level

```
-fas_coarse_snes_monitor -fas_coarse_snes_converged_reason
-fas_coarse_snes_atol 1.0e-9
-fas_coarse_snes_type newtonls -fas_coarse_snes_linesearch_type bt
-fas_coarse_snes_fd_color -fas_coarse_snes_fd_color_use_mat
-fas_coarse_ksp_rtol 1.0e-10 -fas_coarse_ksp_gmres_restart 50
-fas_coarse_pc_type fieldsplit
-fas_coarse_pc_fieldsplit_0_fields 0,2
-fas_coarse_pc_fieldsplit_1_fields 1
-fas_coarse_pc_fieldsplit_type schur
-fas_coarse_pc_fieldsplit_schur_precondition selfp
-fas_coarse_pc_fieldsplit_schur_factorization_type full
-fas_coarse_fieldsplit_0_pc_type lu
-fas_coarse_fieldsplit_pressure_ksp_rtol 1.0e-9
-fas_coarse_fieldsplit_pressure_pc_type gamg
```

FAS convergence

```
0 TS dt 0.01 time 0.64
  0 SNES Function norm 9.682733054059e-03
    2 SNES Function norm 4.412420553822e-03
      2 SNES Function norm 8.022096211721e-15
        1 SNES Function norm 2.773743832538e-04
          1 SNES Function norm 5.627093528843e-11
          1 SNES Function norm 4.405884464849e-10
        2 SNES Function norm 8.985059910030e-08
          1 SNES Function norm 4.672651281994e-15
            0 SNES Function norm 3.160322858961e-15
            0 SNES Function norm 4.672651281994e-15
          1 SNES Function norm 1.046571008046e-14
        2 SNES Function norm 1.804845173803e-02
          2 SNES Function norm 2.776600115290e-12
            0 SNES Function norm 1.354009326059e-12
              0 SNES Function norm 5.881604627760e-13
              0 SNES Function norm 1.354011456281e-12
            0 SNES Function norm 2.776600115290e-12
          2 SNES Function norm 9.640723411562e-05
        1 SNES Function norm 9.640723411562e-05
        2 SNES Function norm 1.057876040732e-08
        3 SNES Function norm 5.623618219189e-11
1 TS dt 0.01 time 0.65
```

Nonlinear GMRES

```

1: procedure NGMRES( $\mathcal{F}$ ,  $\vec{x}_i \cdots \vec{x}_{i-m+1}$ ,  $\vec{b}$ )
2:    $\vec{d}_i = -\vec{r}(\vec{x}_i)$ 
3:    $\vec{x}_i^M = \vec{x}_i + \lambda \vec{d}_i$ 
4:    $\mathcal{F}_i^M = \vec{r}(\vec{x}_i^M)$ 
5:   minimize  $\|\vec{r}((1 - \sum_{k=i-m}^{i-1} \alpha_i) \vec{x}_i^M + \sum_{k=i-m}^{i-1} \alpha_k \vec{x}_k)\|_2$  over
      $\{\alpha_{i-m} \cdots \alpha_{i-1}\}$ 
6:    $\vec{x}_i^A = (1 - \sum_{k=i-m}^{i-1} \alpha_i) \vec{x}_i^M + \sum_{k=i-m}^{i-1} \alpha_k \vec{x}_k$ 
7:    $\vec{x}_{i+1} = \vec{x}_i^A$  or  $\vec{x}_i^M$  if  $\vec{x}_i^A$  is insufficient.
8: end procedure
9: return  $\vec{x}_{i+1}$ 

```

Can emulate Anderson mixing and DIIS

Nonlinear GMRES

```

1: procedure NGMRES( $\mathcal{F}$ ,  $\vec{x}_i \cdots \vec{x}_{i-m+1}$ ,  $\vec{b}$ )
2:    $\vec{d}_i = -\vec{r}(\vec{x}_i)$ 
3:    $\vec{x}_i^M = \vec{x}_i + \lambda \vec{d}_i$ 
4:    $\mathcal{F}_i^M = \vec{r}(\vec{x}_i^M)$ 
5:   minimize  $\|\vec{r}((1 - \sum_{k=i-m}^{i-1} \alpha_i) \vec{x}_i^M + \sum_{k=i-m}^{i-1} \alpha_k \vec{x}_k)\|_2$  over
      $\{\alpha_{i-m} \cdots \alpha_{i-1}\}$ 
6:    $\vec{x}_i^A = (1 - \sum_{k=i-m}^{i-1} \alpha_i) \vec{x}_i^M + \sum_{k=i-m}^{i-1} \alpha_k \vec{x}_k$ 
7:    $\vec{x}_{i+1} = \vec{x}_i^A$  or  $\vec{x}_i^M$  if  $\vec{x}_i^A$  is insufficient.
8: end procedure
9: return  $\vec{x}_{i+1}$ 

```

Can emulate Anderson mixing and DIIS

Full Approximation Scheme (FAS)

Nonlinear Multigrid

```
1: procedure FAS( $\vec{F}$ ,  $\vec{x}_i$ ,  $\vec{b}$ )
2:    $\vec{x}_s = \mathcal{M}_s(\mathcal{F}, \vec{x}_i, \vec{b})$ 
3:    $\vec{x}_c = \widehat{\mathbf{R}}\vec{x}_s$ 
4:    $\vec{b}_c = \mathcal{F}_c(\vec{x}_c) - \mathbf{R}[\mathcal{F}(\vec{x}_s) - \vec{b}]$ 
5:    $\vec{x}_s = \vec{x}_s + \mathbf{P}[\text{FAS}(\vec{F}_c, \vec{x}_c, \vec{b}_c) - \vec{x}_c]$ 
6:    $\vec{x}_{i+1} = \mathcal{M}_s(\mathcal{F}, \vec{x}_s, \vec{b})$ 
7: end procedure
8: return  $\vec{x}_{i+1}$ 
```

Other Nonlinear Solvers

NASM Nonlinear Additive Schwarz

NGS Nonlinear Gauss-Siedel

NCG Nonlinear Conjugate Gradients

QN Quasi-Newton methods