

**Discontinuous Galerkin Methods for
Solving Elliptic and Parabolic Equations. Theory and Implementation
B. Riviere
List of typos
June 2012**

Here is a list of misprints and clarifications. I would like to thank the readers for helping find the typos.

- page 3 line -3: replace j by n .
- page 29 line -10: the variable ϵ is misplaced. The correct formula is:

$$L(v) = \int_{\Omega} f v + \sum_{e \in \Gamma_D} \int_e \left(\epsilon \mathbf{K} \nabla v \cdot \mathbf{n}_e + \frac{\sigma_e^0}{|e|^{\beta_0}} v \right) g_D + \sum_{e \in \Gamma_N} \int_e v g_N.$$

- page 31 line 5: clarification. The space $\mathcal{D}(E)$ is the space of \mathcal{C}^∞ functions with compact support in E .
- page 52 line -5: the sign for the first term in the formula for m_e^{21} is wrong. The correct formula is:

$$m_e^{21} = \frac{1}{2} \int_e \mathbf{K} \nabla P_{h,1} \cdot \mathbf{n}_e v_2 + \frac{\epsilon}{2} \int_e \mathbf{K} \nabla v_2 \cdot \mathbf{n}_e P_{h,1} - \frac{\sigma_e^0}{|e|^{\beta_0}} \int_e P_{h,1} v_2.$$

- page 53 line 2: the sign for the first term in the formula for \mathbf{M}_e^{21} is wrong. The correct formula is:

$$(\mathbf{M}_e^{21})_{ij} = \frac{1}{2} \int_e \mathbf{K} \nabla \phi_{j,E_e^1} \cdot \mathbf{n}_e \phi_{i,E_e^2} + \frac{\epsilon}{2} \int_e \mathbf{K} \nabla \phi_{i,E_e^2} \cdot \mathbf{n}_e \phi_{j,E_e^1} - \frac{\sigma_e^0}{|e|^{\beta_0}} \int_e \phi_{j,E_e^1} \phi_{i,E_e^2}.$$

- page 53 line 7: the correct formula for $(\mathbf{b}_e)_i$ is:

$$(\mathbf{b}_e)_i = \int_e \left(\epsilon \mathbf{K} \nabla \phi_{i,E_e^1} \cdot \mathbf{n}_e + \frac{\sigma_e^0}{|e|^{\beta_0}} \phi_{i,E_e^1} \right) g_D.$$

- page 55 line 4: the correct formula for $\mathbf{M}_e^{21}(i, j)$ is:

$$\mathbf{M}_e^{21}(i, j) = \mathbf{M}_e^{21}(i, j) - \sigma_e^0 w(k) \phi_{i,E_e^2}(s(k)) \phi_{j,E_e^1}(s(k))$$

- page 55 line 5 of algorithm 2.3: the correct sentence is: for $i = 1$ to N_{loc} do.
- page 73 line -6: $H_1^0(\Omega)$ should read $H_0^1(\Omega)$.
- page 74 line 10: in the definition of the energy norm, for the second term, $\|v\|_{L^2(e)}^2$ should read $\|[v]\|_{L^2(e)}^2$.
- page 84 line 13: the term $(\mathbf{M} + \Delta t \mathbf{A})$ should read $(\mathbf{M} - \Delta t \mathbf{A})$
- page 127 lines -1, -2: the terms $h^k |\mathbf{u}|_{H^{k+1}(\Omega)}$ should read $h^{2k} |\mathbf{u}|_{H^{k+1}(\Omega)}^2$.
- page 129 line 6: the variable \mathbf{U} should read \mathbf{U}_h .
- page 129 last line of Theorem 6.12: the line should read *where $\delta = 1$ for SIPG and $\delta = 0$ for IIPG and NIPG.*
- page 166 line -4: the third argument for `Aloc` should be removed: `Aloc(idofs, jdofs)`. The same comment holds for the third argument of variables `Bloc11`, `Bloc22`, `Bloc12`, `Bloc21` on pages 170 and 171.